

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("6,141,759").PN.	USPAT; USOCR	OR	OFF	2008/10/10 04:26
L2	1	("5,546,574").PN.	USPAT; USOCR	OR	OFF	2008/10/10 05:11
L3	780	reverse near2 translat\$4 and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 05:50
L4	1	(reverse near2 translat\$4) same SCP and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 05:50
L5	1	("5,546,574").PN.	USPAT; USOCR	OR	OFF	2008/10/10 06:20
S1	1	("6330598").PN.	USPAT; USOCR	OR	OFF	2006/01/18 11:10
S2	5	"709"/\$.ccls. and (translat\$4 and protocols).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 11:10
S3	40	"709"/\$.ccls. and (translat\$4 and protocols).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 11:29
S4	1	"709"/\$.ccls. and (translat\$4 with protocols) and (classif\$4 near2 request\$3) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 11:22
S5	4	"709"/\$.ccls. and (translat\$4 with protocols) and (classif\$4 with request\$3) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 11:53
S6	6	"709"/\$.ccls. and (multipl\$3 near2 networks) and (classif\$4 with request\$3) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 11:57
S7	13	"709"/\$.ccls. and (plurality\$3 near2 networks) and (classif\$4 with request\$3) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 11:57

S8	25	"709"/\$.ccls. and (translat\$4 with protocols) and (identical with protocol) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:54
S9	15	(translat\$4 with protocols) same (identical with protocol) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:19
S10	1	("6058115").PN.	USPAT; USOCR	OR	OFF	2006/01/18 14:31
S11	357	translat\$4 and (priorit\$ with protocol\$41) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:32
S12	357	translat\$4 and (priorit\$ with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:32
S13	71	"709"/.ccls. and translat\$4 and (priorit\$ with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:33
S14	19	"709"/.ccls. and (translat\$4 with protocol\$1) and (priorit\$ with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:34
S15	1	"709"/.ccls. and (translat\$4 with protocol\$1) and (priorit\$ with list \$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 15:16
S16	4	"709"/.ccls. and (priorit\$ with list \$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 15:28
S17	13	(priorit\$ with list\$1 with protocol \$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:09
S18	2	(updat\$3 with priorit\$ with list \$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:25
S19	35	internet and (updat\$3 with list \$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:29

S20	4	internet and (new near1 connection) and (updat\$3 with list\$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:34
S21	0	internet and updat\$4 with (new near1 connection) same (list\$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:34
S22	1	internet and (new near1 connection) same (list\$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:42
S23	2	internet and (new near1 connection) same (library with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:43
S24	407	internet and (updat\$3 near1 connection library with protocol \$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:43
S25	159	"709"/\$.ccls. and internet and (updat\$3 near1 connection library with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:51
S26	158	"709"/\$.ccls. and internet and (updat\$3 near1 profile\$1 library with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:02
S27	16639598	"709"/\$.ccls. and internet and (user near1 request\$1) and (updat\$3 with list with new) @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:03
S28	26	"709"/\$.ccls. and internet and (user near1 request\$1) and (updat\$3 with list with new) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:04
S29	0	"709"/\$.ccls. and internet and (user near1 request\$1) and (updat\$3 with list with protocol \$1 with new) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:04
S30	0	"709"/\$.ccls. and internet and (user near1 request\$1) and (updat\$3 with list with priorit\$4 with new) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:04

S31	1	"709"/\$.ccls. and internet and (user near1 request\$1) and (updat\$3 with list with previous \$4 with new) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:05
S32	4	"709"/\$.ccls. and internet and (user near1 request\$1) and (updat\$3 with new near1 session) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:13
S33	147	"709"/\$.ccls. and (send\$4 with user near1 request\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:13
S34	1	"709"/\$.ccls. and (send\$4 with user near1 request\$1) with (plurality near2 servers) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:14
S35	0	"709"/\$.ccls. and (send\$4 with user near1 request\$1) with (plurality near2 vendor\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:14
S36	6	"709"/\$.ccls. and (send\$4 with user near1 request\$1) with (plurality) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:17
S37	4	"709"/\$.ccls. and (user near1 request\$1) with (plurality with services) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:23
S38	1	("6,061,714").PN.	USPAT; USOCR	OR	OFF	2006/01/18 18:24
S39	0	("20010032254").PN.	USPAT; USOCR	OR	OFF	2006/01/18 18:24
S40	1	("20010032254").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 18:24
S41	4657	(service near2 request\$4) and translats\$4 and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:25
S42	192	(service near2 request\$4) and (translat\$4 near1 protocol\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:26
S43	12	(service near2 request\$4) and (translat\$4 near1 protocol\$1) and (select\$3 near1 destination \$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:34

S44	3	(service near2 message\$4) and (translat\$4 near1 protocol\$1) and (select\$3 near1 destination \$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:35
S45	8	(receiv\$3 near2 message\$4) and (translat\$4 near1 protocol \$1) and (select\$3 near1 destination\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:39
S46	14	(service\$4 with request\$3) and (translat\$4 near1 protocol\$1) and (select\$3 near1 destination \$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:41
S47	20	(service\$4 with request\$3) and (translat\$4 near1 protocol\$1) and (select\$3 with service\$1 near2 provider\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:43
S48	0	(service\$4 with request\$3) and (updat\$3 with translat\$4 near1 protocol\$1) and (select\$3 with service\$1 near2 provider\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:43
S49	1	(service\$4 with request\$3) and (updat\$3 same translat\$4 near1 protocol\$1) and (select\$3 with service\$1 near2 provider\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:45
S50	3	(service\$4 with request\$3) and (updat\$3 same translat\$4 near1 protocol\$1) and (service\$1 near2 provider\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:50
S51	1	("6243815").PN.	USPAT; USOCR	OR	OFF	2006/01/18 18:50
S52	1	("5881234").PN.	USPAT; USOCR	OR	OFF	2006/01/18 19:09
S53	0	("20020055995").PN.	USPAT; USOCR	OR	OFF	2006/01/18 19:10
S54	1	("20020055995").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 19:10
S55	1	("6058115").PN.	USPAT; USOCR	OR	OFF	2006/01/20 12:02
S56	272	((gateway or router or hub) with remov\$3 with (protocol or connection)) and @ad<="19980623"	USPAT	OR	OFF	2006/01/20 12:05
S57	5	((gateway or router or hub) with remov\$3 with ((translat\$4 near2 protocol))) and @ad<="19980623"	USPAT	OR	OFF	2006/01/20 12:09

S58	1	((gateway or router or hub) with discard\$3 with ((translat\$4 near2 protocol))) and @ad<="19980623"	USPAT	OR	OFF	2006/01/20 12:09
S59	11	((gateway or router or hub) with discard\$3 with ((protocol))) and @ad<="19980623"	USPAT	OR	OFF	2006/01/20 13:38
S60	0	((gateway or router or hub or satellite\$1)same audio near2 servers same protocol same subscribers) and @ad<="19980623"	USPAT	OR	OFF	2006/01/20 13:48
S61	0	((gateway or router or hub or satellite\$1)same audio near2 servers same protocol same subscribers) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:48
S62	0	((gateway or router or hub or satellite\$1)same media near2 servers same protocol same subscribers) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:48
S63	0	((gateway or router or hub or satellite\$1)same media with servers same protocol same subscribers) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:48
S64	68	((gateway or router or hub or satellite\$1)same media with servers same protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:49
S65	0	((gateway or router or hub or satellite\$1)same media with servers same translat\$4 near2 protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:49
S66	10	((gateway or router or hub or satellite\$1)same media with servers same translat\$4 with protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:55
S67	0	((gateway or router or hub or satellite\$1)same audio near2 servers same translat\$4 with protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:55
S68	0	((gateway or router or hub or satellite\$1)same audio with servers same translat\$4 with protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:56
S69	4132	((gateway or router or hub or satellite\$1)same audio translat\$4 with protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:56

S70	0	((gateway or router or hub or satellite\$1)same audio with boardcast\$3 with translat\$4 with protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:14
S71	1	("CORBA IIOP" with translat\$4 with protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:16
S72	1	(CORBA near1 IIOP with translat\$4 with protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:36
S73	0	(oversize with protocols with list) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:22
S74	112	(encryption with request\$4 with servers) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:22
S75	73	(encryption with request\$4 with servers and protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:56
S76	1	("6339595").PN.	USPAT; USOCR	OR	OFF	2006/01/20 16:57
S77	1	("5940478").PN.	USPAT; USOCR	OR	OFF	2006/01/20 17:02
S78	0	("20050261785").PN.	USPAT; USOCR	OR	OFF	2006/01/20 16:58
S79	1	("20050261785").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/20 16:58
S80	1	("6260021").PN.	USPAT; USOCR	OR	OFF	2006/01/20 17:03
S81	1	("6463418").PN.	USPAT; USOCR	OR	OFF	2006/01/20 17:03
S82	0	("20030117959").PN.	USPAT; USOCR	OR	OFF	2006/03/27 19:47
S83	1	("20030117959").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/27 19:47
S84	1300	"709"/\$.cls. and ((updat\$3 modif\$4 chang\$3) with (services parameters)) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 11:24

S85	216	"709"/\$.ccls. and ((updat\$3 modif\$4 chang\$3) with (services parameters)) with servers and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 11:27
S86	95	"709"/\$.ccls. and ((updat\$3 modif\$4 chang\$3) near2 (services parameters)) with servers and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 11:27
S87	3	"709"/\$.ccls. and (((updat\$3 modif\$4 chang\$3) near2 (services parameters))).ab. with servers and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 11:29
S88	31	((((updat\$3 modif\$4 chang\$3) near2 (services parameters))).ab. with servers and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 11:29
S89	31	((((updat\$3 modif\$4 chang\$3) near2 (services parameters)) with servers).ab. and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 11:59
S90	240	((((updat\$3 modif\$4 chang\$3) near2 (services parameters)) with servers) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:16
S91	21	((if) with available)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:17
S92	0	((if) with reallocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:17
S93	0	((if) with re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:18
S94	0	((if) same re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:18
S95	899	(re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:18

S96	0	(re-allocat\$3 with disctribu\$3 near2 servers)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:19
S97	26	(re-allocat\$3 with servers)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:45
S98	2	((fail\$3 unavailable) with re-allocat\$3 with servers)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:00
S99	170	((fail\$3 unavailable) with available \$3 with servers)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:00
S100	76	((fail\$3 unavailable) with available \$3 near2 servers)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:00
S101	35	"709"/\$.ccls. and ((fail\$3 unavailable) with available\$3 near2 servers)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:13
S102	11	"709"/\$.ccls. and ((found) with available\$3 near2 servers)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:50
S103	3	"709"/\$.ccls. and (phone\$1 with allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:52
S104	0	"709"/\$.ccls. and (phone\$1 with re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:53
S105	1	(phone\$1 with re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:53
S106	1	(phone\$1 same re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:53

S107	105	(phone\$1 and re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:53
S108	9	"709"/\$.ccls. and (phone\$1 and re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:55
S109	0	(phone\$1 and re-allocat\$3 with (access\$3 near3 points))and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:56
S110	13	(phone\$1 and re-allocat\$3 and (access\$3 near3 points))and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:57
S111	0	(phone\$1 with re-allocat\$3 and (access\$3 near3 points))and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:57
S112	0	(telephone\$1 with re-allocat\$3 and (access\$3 near3 points)) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:58
S113	0	(telephone\$1 same re-allocat\$3 and (access\$3 near3 points)) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:58
S114	0	(telephone\$1 same re-allocat \$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:58
S115	20	(telephone\$1 same re-allocat\$3) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:00
S116	0	telephone\$1 and (travel\$3 same re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:00
S117	4	telephone\$1 and (travel\$3 same re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:03

S118	1	(telephone\$1 same (reallcat\$3 near3 servers))and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:09
S119	1	("6314088").PN.	USPAT; USOCR	OR	OFF	2006/08/11 17:10
S120	8	automated near1 provision\$3 near1 (server\$1 systems) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:14
S121	26	automated near3 provision\$3 near1 (server\$1 systems) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:19
S122	0	automated near3 redirect\$3 near1 (server\$1 systems) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:19
S123	8	automat\$3 near3 redirect\$3 near1 (server\$1 systems) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:26
S124	0	("2005002194327").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/11 17:21
S125	0	("2001002194327").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/11 17:22
S126	0	("200100360521").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/11 17:22
S127	1	("6608760").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/11 17:23
S128	6	automat\$3 with redirect\$3 near1 (server\$1 systems) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:27
S129	5	automat\$3 with reallcat\$3 near3 (server\$1 systems) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:33
S130	1	("6249800").PN.	USPAT; USOCR	OR	OFF	2006/08/11 17:33
S131	988	(manag\$5 with ((control\$4 near2 points) SCP\$1)) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 15:50

S132	118	((global central\$5) with manag \$5 with ((control\$4 near2 points) SCP\$1)) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 15:51
S133	59	((global central\$5) with manag \$5 with ((control\$4 near2 points) SCP\$1)) and translat\$5 and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 15:51
S134	0	("20030221001").PN.	USPAT; USOCR	OR	OFF	2008/02/04 17:28
S135	1	("20030221001").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/04 17:28
S136	1	("5657375").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/04 17:31
S137	1	("5657375").PN.	USPAT; USOCR	OR	OFF	2008/02/05 09:58
S138	114	"709"/\$.cls. and available with request\$4 with (servers SCP sites)and @ad<="19980623"	USPAT	OR	OFF	2008/02/05 12:19
S139	1	("6,141,759").PN.	USPAT; USOCR	OR	OFF	2008/02/05 12:21
S140	1	("6,587,867").PN.	USPAT; USOCR	OR	OFF	2008/02/05 13:35
S141	1	("6141759").PN.	USPAT; USOCR	OR	OFF	2008/02/05 13:37
S142	0	(updat\$4 with bussiness with objects) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 15:14
S143	0	(updat\$4 same bussiness with objects) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 15:14
S144	1	(updat\$4 same bussiness) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 15:15
S145	2	(bussiness with objects) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 15:15
S146	184	(business adj1 objects) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 08:19

S147	1	(business adj1 objects) same process\$3 adj2 request\$3 and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 08:19
S148	1	("6330598").PN.	USPAT; USOCR	OR	OFF	2008/03/12 08:26
S149	40	(business adj1 objects) same (messages request\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 08:30
S150	4	((business adj1 objects) same (messages request\$1)).ab. and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 08:30
S151	24	((business adj1 objects) same (process\$4 implement\$4 execut \$4) same (messages request \$1)) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 08:33
S152	5	((business adj1 objects) same translat\$4 same (messages request\$1)) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 09:21
S153	236	(reverse\$1 with database) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:07
S154	2	(reverse\$1 adj1 translation\$1 with database) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:07
S155	20	(reverse\$1 adj1 translation\$1 same database) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:08
S156	1	("6,002,767").PN.	USPAT; USOCR	OR	OFF	2008/03/12 10:19
S157	1695	(control\$4 management\$4) with SCPs and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 22:28
S158	329	(control\$4 management\$4) with SCPs same telecommunication and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 22:29

S159	21	(control\$4 management\$4) with SCPs same telecommunication same (date priord) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 22:29
S160	0	(parameter\$4) with SCPs same telecommunication same (date priord) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 22:30
S161	3	(parameter\$4) with SCPs same (date priord) and telecommunication and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 22:31
S162	0	(schedul4 same SCPs same updat\$4) and telecommunication and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 22:43
S163	0	(schedul4 same SCPs) and telecommunication and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 22:43
S164	8	(schedul\$4 same SCPs same updat\$4) and telecommunication and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 22:43
S165	1	("6330598").PN.	USPAT; USOCR	OR	OFF	2008/10/05 06:20
S166	1	("6330598").PN.	USPAT; USOCR	OR	OFF	2008/10/05 07:43
S167	2	(add\$4 with subscribers same SCPs same date) and telecommunication and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 07:53
S168	57	(add\$4 with subscribers same SCPs) and telecommunication and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 07:54
S169	21	(add\$4 with subscribers same SCPs same services) and telecommunication and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 07:55
S170	25	(updat\$4 with subscribers same SCPs same services) and telecommunication and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 07:55

S171	0	(updat\$4 with subscribers same SCPss near2 (table database list record)) and telecommunication and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 08:11
S172	0	(updat\$4 same SCPss near2 (table database list record)) and telecommunication and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 08:11
S173	24899	(updat\$4 same SCPss near\$2 (table database list record)) and telecommunication and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 08:11
S174	47	(updat\$4 same SCP near2 (table database list record)) and telecommunication and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 08:11
S175	0	(updat\$4 with susbribers same SCP near2 (table database list record)) and telecommunication and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 08:12
S176	0	(updat\$4 with subscribers same SCP near2 (table database list record)) and telecommunication and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 08:12
S177	14	(updat\$4 with subscribers same SCP near2 (table database list record)) and telecommunication and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 08:12
S178	4	(updat\$4 with subscribers same (data with time) and SCP near2 (table database list record)) and telecommunication and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 08:17
S179	1146	(time same date same modification) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 14:17
S180	1443	(time same date same modification) and (@ad<="19980623" @rlad<="19980623")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 14:17
S181	14	(time same date same modification same subscribers) and (@ad<="19980623" @rlad<="19980623")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 14:18

S182	140	(time same date same updat\$4 same subscribers) and (@ad<="19980623" @rlad<="19980623")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 15:25
S183	25	(time same date same updat\$4 same subscribers).ab. and (@ad<="19980623" @rlad<="19980623")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 15:26
S184	9	(time with date same updat\$4 same subscribers).ab. and (@ad<="19980623" @rlad<="19980623")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 15:48
S185	90	(date same updat\$4 same subscribers).ab. and (@ad<="19980623" @rlad<="19980623")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 15:49
S186	1	(date same updat\$4 same subscribers near2 list).ab. and (@ad<="19980623" @rlad<="19980623")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 15:49
S187	7	(date same updat\$4 same subscribers near2 list) and (@ad<="19980623" @rlad<="19980623")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 15:50
S188	12	(automatic\$4 with date same updat\$4 same subscribers) and (@ad<="19980623" @rlad<="19980623")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 15:52
S189	0	(automatic\$4 with date same updat\$4 same scp) and (@ad<="19980623" @rlad<="19980623")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 15:54
S190	1	(automatic\$4 same date same updat\$4 same scp) and (@ad<="19980623" @rlad<="19980623")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 15:54
S191	5	(schedul\$4 with updat\$4 same scp) and (@ad<="19980623" @rlad<="19980623")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 16:03
S192	7	(schedul\$4 with (updat\$4 modify \$4 chang\$4) same scp) and (@ad<="19980623" @rlad<="19980623")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 16:05

S193	30	(schedul\$4 with (updat\$4 modify \$4 chang\$4) same subscriber\$1 and scp) and (@ad<="19980623" @rlad<="19980623")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 16:07
S194	30	((schedul\$4 with (updat\$4 modify\$4 chang\$4) same subscriber\$1) and scp) and (@ad<="19980623" @rlad<="19980623")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 16:08
S195	7	(schedul\$4 with (updat\$4 modify \$4 chang\$4) same scp) and (@ad<="19980623" @rlad<="19980623")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/07 04:04
S196	15	(schedul\$4 same (updat\$4 modify\$4 chang\$4) same scp) and (@ad<="19980623" @rlad<="19980623")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/07 04:14
S197	1	("5903845").PN.	USPAT; USOCR	OR	OFF	2008/10/07 04:58
S198	1	("5,808,607").PN.	USPAT; USOCR	OR	OFF	2008/10/07 12:28
S199	1	("6,138,163").PN.	USPAT; USOCR	OR	OFF	2008/10/07 14:54
S200	1	("5,742,762").PN.	USPAT; USOCR	OR	OFF	2008/10/09 21:29
S201	1	("5,546,574").PN.	USPAT; USOCR	OR	OFF	2008/10/09 21:33

10/10/2008 6:24:11 AM

C:\Documents and Settings\ltruong6\My Documents\EAST\Workspaces\10016529.wsp